



Designed to your needs

– Crop Rotation –

Bio Bull - The next generation greenhouse equipment

Bio Bull manufactures state-of-the-art greenhouse equipment. We design and produce horticulture machinery in a safe, effective and efficient way.

Our headquarters is in Angeren, the Netherlands, an agricultural country with lots of opportunities to test and improve our designed machinery. As a competent and sincere company we have over fifteen years of experience in the horticultural field and have delivered more than a hundred projects worldwide.

Bio Bull develops high quality yet easy to operate products. We assure high reliability and low maintenance because of the use of modern technology and as few electronic components as possible. Our specialized and skilled workforce always guarantees a prompt and excellent after sale service. And the ISO fitting parts and global brands ensure that spare parts are available worldwide.

On top of that, Bio Bull is also capable of building new custom made equipment. By using modular design and product architecture we can meet the specific needs for your company without the high development costs and long delivery time.



Crop Shredders

Bio Bull Crop Shredder Compact 140

- Canvas width up to 1400 mm
- Capacity up to 3500 m² per hour
- Remote control
- Infeed unit on one side
- Diesel engine Stage 3 – +/- 100 KW
- Directly driven hydraulic pump

Optional

- Stage 5 engine
- Metal detector
- Service set



Bio Bull Crop Shredder Robust 160

- Capacity up to 10000 m² per hour
- Remote control
- Infeed units on both sides
- Diesel engine Stage 3 – +/- 160 KW
- Directly driven hydraulic pump
- Outfeed with separate remote control function

Optional

- Infeed correction
- Stage 5 engine
- Automatic lubrication system



Bio Bull Crop Shredder Robust 310

- Capacity up to 15000 m² per hour
- Remote control
- Infeed units on both sides
- Diesel engine Stage 3 – +/- 200 KW
- Directly driven hydraulic pump
- Outfeed with separate remote control function
- Infeed correction

Optional

- Stage 5 engine
- Automatic lubrication system



Bio Bull Multi Winder

- Fully hydraulically operated
- Unique rotating design
- 2000 mm conical tube
- Tractor connection (category 2)

Optional

- Powerpack 400 V / 600 V
- Wheel loader and forklift connection



Bio Bull Crop Remover Slim

- Canvas width up to 1400 mm
- Capacity up to 3000 m² per hour
- Forklift truck connection



Bio Bull Powerpack

- For operation with zero emission
- Integrated wheel loader and forklift connection
- Available in a 400 V and 600 V version



Crop Removers

Bio Bull Crop Remover Compact

- Canvas width up to 1400 mm
- Capacity up to 3000 m² per hour
- Tractor connection (category 2)
- Individual infeed on both sides

Optional

- Powerpack 400 V / 600 V
- Wheel loader and forklift connection



Bio Bull Crop Remover Robust 140

- Canvas width up to 1400 mm
- Capacity up to 10000 m² per hour
- Operation on one side at a time
- Remote control
- Infeed units on both sides
- Diesel engine Stage 3 – +/- 100 KW
- Directly driven hydraulic pump

Optional

- Stage 5 engine
- Hopper 15 m³
- Automatic lubrication system



Bio Bull Crop Remover Extreme

- Canvas width up to 1400 mm
- Capacity up to 20000 m² per hour
- Remote controlled with two separate units
- Infeed units on both sides
- Diesel engine Stage 3 – +/- 120 KW
- Simultaneously winding

Optional

- Stage 5 engine
- Hopper 15 m³
- Automatic lubrication system



Bio Bull Buffer Container

- 2.8 m³
- Hydraulic operated
- Quick connection coupling
- Forklift truck tubes for easy transport
- Suitable for using on BB CS Compact and BB CR Compact with extended belt



Bio Bull Canvas Cleaner

- Suitable for width up to 1400 mm
- Capacity up to fifteen rolls - 2500 m canvas per hour
- Stainless steel frame
- Spraying tubes on both sides of the canvas
- Ergonomic & smart design
- No high pressure pump needed
- Cleaning and/or straightening the canvas

Optional

- Disinfection unit
- Water pump



Bio Bull Crop Tipper

- Two models available with a content of 2.5 m³ and 4 m³ respectively
- Hydraulically operated in both directions
- No maintenance required



Bio Bull Tipping Container

- Manually operated in both directions
- No maintenance required



Bio Bull Unwinder

- Easy to use canvas unwinder
- Tube dimension 60.3 mm





Sales representatives



World wide sales

Hortiworld B.V. – Angeren – The Netherlands
hortiworld.eu

Hortimat – Monster – The Netherlands
hortimat.com

Hungaria

Florachem-Impex Kft. – Dunaharaszti
kerteszcentrum.eu

Italia

AGEON S.r.l.
Borgo San Dalmazzo (CN)
ageon.it

Japan, China

DanDutch ApS
dandutch.com

Mexico

DQ Hortisoluciones, S.A. de C.V. – Querétaro
hortisoluciones.com

Australia, New Zealand

Growtex Growing Technologies – Sydney
growtex.com.au

More information and contact:
www.bio-bull.com

